	Application No.	[A
	Application No.	Applicant(s)
AL 42 EAH LUIA	10/797,112	TSUCHIYA ET AL.
Notice of Allowability	Examiner	Art Unit
	Bao Q. Vu	2838
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this or other appropriate communicat IGHTS. This application is subject	application. If not included ion will be mailed in due course. THIS
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-6</u> .		
3. The drawings filed on <u>3-11-04</u> are accepted by the Examiner.		
4. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)): * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. ☐ A SUBSTITUTE OATH OR DECLARATION must be subminsFORMAL PATENT APPLICATION (PTO-152) which give 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be comply including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date	e been received. e been received in Application No. cuments have been received in the of this communication to file a rep MENT of this application. witted. Note the attached EXAMINI es reason(s) why the oath or decl est be submitted. son's Patent Drawing Review (PT	nis national stage application from the only complying with the requirements ER'S AMENDMENT or NOTICE OF aration is deficient.
(b) including changes required by the attached Examiner' Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the state of the sheet.	.84(c)) should be written on the dra	wings in the front (not the back) of
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 	6. ☐ Interview Summa	al Patent Application (PTO-152)
	Paper No./Mail I	Date
3. Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 412-04	08), 7. ☐ Examiner's Ame	ndment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. Examiner's State	ment of Reasons for Allowance
of Biological Material	9.	
		- Bar Va
	P	BAO Q. VU RIMARY EXAMINER

Application/Control Number: 10/797,112 Page 2

Art Unit: 2838

DETAILED ACTION

3

Allowable Subject Matter

Claims 1-6 are allowed.

2. The following is an examiner's statement of reasons for allowance: None of the prior art alone or in combination discloses the wherein the base plate includes pedestal portion higher than surrounding regions thereof, at least any of the switching element and the rectifier base plate, the choke coil mounted on the pedestal portion of the higher than the switching element and the rectifier, and mounted in a region other than a region where the pedestal portion is formed within a region on the base plate, and a coolant channel through which coolant flows is formed inside the pedestal portion.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance"

٦

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bao Q. Vu whose telephone number is (571) 272-2088. The examiner can normally be reached on Monday-Fridays, 8:00AM- 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael S. Sherry can be reached on (571) 272-2084. The fax phone

Application/Control Number: 10/797,112 Page 3

Art Unit: 2838

number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Bao Q. Vu

Primary Examiner Art Unit 2838

May 27, 2005